

Notice of Allowability

Application No.

10/803,302

Examiner

Jerrold Johnson

Applicant(s)

PEARSON, STEPHEN J.

Art Unit

3728

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Amendment of 06 July 2005, replacement drawings 06 October 2005 and Pet. dec. 05 June 06.

2. ☒ The allowed claim(s) is/are 1-12 and 16-26.

3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) ☐ All b) ☐ Some* c) ☐ None of the:

1. ☐ Certified copies of the priority documents have been received.

2. ☐ Certified copies of the priority documents have been received in Application No. _____.

3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.

5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.

(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached

1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.

(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)

2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 18 May 2006

4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material

5. ☐ Notice of Informal Patent Application (PTO-152)

6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.

7. ☐ Examiner's Amendment/Comment

8. ☒ Examiner's Statement of Reasons for Allowance

9. ☐ Other _____.

Petition Decision

The Petition Decision dated 05 June 2006 recognizing that a timely response dated 06 July 2005 was mailed by the Applicant is acknowledged.

Replacement Drawings

Replacement drawings submitted 06 October 2005 are accepted.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

The references of Leopoldi 4,378,885 and Blood US 156,308 are cited. It is submitted that the teachings of Leopoldi 4,378,885 of a three piece design (two half shells forming an enclosure and one external ring disposed on the enclosure) in itself are not sufficient to teach how the four part container of Blood US 156,308 (two end caps and one cylinder wall forming the enclosure and an external cylindrical wall disposed on the enclosure) could have been configured in the three piece manner as is claimed. Specifically, the teachings of Leopoldi would required further modification to be applied to Blood, as the ring of Leopoldi is retained by the external flanges in his invention, as well as serving to secure the top shell to the bottom shell. There is no teaching that the two half shells of Leopoldi could be attached to each other without the

Art Unit: 3728

use of the ring. Accordingly, it would not be obvious to apply the teachings of Leopoldi to the container of Blood.

The teachings of Liska US 2,774,466 or Goldstaub US 2,549,681 also could not be relied upon for the necessary teachings lacking in Leopoldi and Blood, as they are both drawn to top and bottom shells which are rotatable with respect to each other.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jerrold Johnson whose telephone number is 571-272-7141. The examiner can normally be reached on 9:30 to 6:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mickey Yu can be reached on 571-272-4562. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3728

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JDJ 



Mickey Yu
Supervisory Patent Examiner
Group 3700